Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1187	(717/100,106,108,109,113).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 14:40
S2	98	("5920718" "5365581" "5467472" "5680616" "5754858" "5862379" "5978581" "5987247" "6025836" "6067641" "6074432" "6098073" "6118446" "6173289" "6212672" "6212672" "6241775" "6243670" "6269475" "6282191" "6287765" "6421681" "6760902" "6074427" "4819234" "6078251" "6094221" "6252589" "6433775" "6233583" "5832298" "4870561" "5237691" "5301270" "5450545" "5471006" "5566161" "5768347" "5953073" "5995100" "6049596" "4887078" "5448740" "5675801" "5684951" "5758193" "5771248" "5784464" "5822520" "5862310").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:04
S3	49	("5920718" "5365581" "5467472" "5680616" "5754858" "5862379" "5978581" "5987247" "6025836" "6067641" "6074432" "6098073" "6118446" "6173289" "6212672" "6212672" "6241775" "6243670" "6269475" "6282191" "6287765" "6421681" "6760902" "6074427" "4819234" "6078251" "6094221" "6252589" "6433775" "6233583" "5832298" "4870561" "5237691" "5301270" "5450545" "5471006" "5566161" "5768347" "5953073" "5995100" "6049596" "4887078" "5448740" "5675801" "5684951" "5758193" "5771248" "5784464" "5822520" "5862310").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/06 16:04
S4	1194	(717/100,106,108,109,113).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 17:13
S5	1314	(user adj interface) same handler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 17:14

S6	32	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 17:14

Google™

user interface developer site-specific   Search   Advanced Search
                                                         Preferences

W b   Results **1** - **10** of about **4,030** for <u>user interface developer site-specific</u> . (0.42 seconds)

Python Distutils-SIG: Proposed **User Interface**
... Day Session also came up with a proposed **user interface**. ... with the state of the code,
the **dev loper** will want ... that doesn't belong in an **interface** proposal, but ...
python.fyxm.net/sigs/distutils-sig/doc/**interface**.html - 12k - <u>Cached</u> - <u>Similar pages</u>

Visual Studio 97, Microsoft Interactive **Developer**, May 1997
... The project management **user interface** has been simplified to use ... You specify basic
UI elements such as menus and ... objects, but the design time **interface** of the ...
www.microsoft.com/mind/0597/visualstudio/visualS97.asp - 71k - <u>Cached</u> - <u>Similar pages</u>

Resume of candidate in Texas - From free resume databases of ...
Objective: Application/Software **Developer**. ... in support and enhancements of **site-specific**
applications. ... Web-based **user interface** designed specifically to support ...
www.free-for-recruiters.com/ Resumes/TX/1308510-Resume.html - 18k - <u>Cached</u> - <u>Similar pages</u>

Software **Developer's** Kit Install Bulletin for UNIX Platforms
... Software **Developer's** Kit Install Bulletin for UNIX Platforms. ... the default GUI (graphical
user interface) mode, a ... of the mount command is **site-specific**, and may ...
manuals.sybase.com/onlinebooks/group-sd/ sdp1200e/ibuxsdk/@Generic__BookTextView/1340 - 31k -
<u>Cached</u> - <u>Similar pages</u>

Databases & Networks - **Developer** Tools
... mysql server database .The rich **user interface** allows you to ... ODBC, dtfSQL, and
4D.SQLBoss **Developer** is the ... ndDataForm is an encapsulated **interface** control that ...
www.programurl.com/ **developer**-tools-databases-networks-6.htm - 47k - <u>Cached</u> - <u>Similar pages</u>

Simon Willison: **Site-specific** extensions
... The Mozilla **user interface** is built using XUL files. ... much a site can be changed by
a UI before it ... For example, most **user** style sheets don't have any properties ...
simon.incutio.com/archive/2004/07/20/innovate - 46k - <u>Cached</u> - <u>Similar pages</u>

Multimedia Environment - Firesmith OPEN Process Framework (OPF) ...
... tag lines, brand and **site specific** fonts); Animations; ... multimedia environment improves
developer efficiency. ... the construction of a more effective **user interface**. ...
www.donald-firesmith.com/.../WorkProducts/ EnvironmentsSet/MultimediaEnvironment/MultimediaEnvironment.html - 12k
- <u>Cached</u> - <u>Similar pages</u>

Grand River Software LLC - XLang10
... own windows or force any **user interface** on your ... main functionality Licensing is per
developer, distribution with ... or scripting that is **site specific** and should ...
www.grandriversoftware.com/xlang10.htm - 14k - <u>Cached</u> - <u>Similar pages</u>

Macromedia - **Developer** Center
... Flash Player 6 for Pocket PC **Developer** Kit. ... which simplify handling common tasks
or **user interface** (UI) elements. ... into the code of this **site-specific** art piece ...
www.macromedia.com/devnet/devices/pocket_pc.html - 31k - Jan 5, 2005 - <u>Cached</u> - <u>Similar pages</u>

[PDF] Enhancing the HP e3000 **User Interface**
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... For the application **Developer** a Compiler function within Designer allows a ... and **user**
interfaces; and a platform independent **us r interface** (UI) viewer that runs ...
jazz.external.hp.com/papers/59689502.pdf - <u>Similar pages</u>

Google™

user interface developer site-specific code | **Search**   Advanced Search
Preferences

W b   Results **1** - **10** of about **737** for <u>user int rface</u> <u>developer</u> <u>site-specific</u> <u>code</u> <u>generator</u>. (0.44 seconds)

Linux Software at IceWalkers.com - Applications / Databases
... **User interface** to MySQL. ... GenSQL is a generic SQL database UI, written in C++ ... Its aim
is to provide a complete and easy to use **interface** to various SQL databases ...
www.icewalkers.com/Linux/Software/ Applications/Databases/140/24,0,0,1/ - 32k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Enhancing the HP e3000 **User Interface**
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... application for which no source **code** is available. For the application **Developer**
a Compiler function ... and a platform independent **user interface** (UI) viewer that ...
jazz.external.hp.com/papers/59689502.pdf - <u>Similar pages</u>

Databases & Networks - **Developer** Tools
... mysql server database .The rich **user interface** allows you to ... ODBC, dtfSQL, and
4D.SQLBoss **Developer** is the ... ndDataForm is an encapsulated **interface** control that ...
www.sharewareconnection.com/ **developer**-tools-databases-networks-5.htm - 55k - <u>Cached</u> - <u>Similar pages</u>

Software Download: Oracle To Sql Server
... Ensure your success in Oracle **developer** certification exam ... systems and gives the
user the same ... an application-level database-programming **interface** (API) that ...
www.sharewareconnection.com/ titles/oracle-to-sql-server.htm - 88k - <u>Cached</u> - <u>Similar pages</u>
[<u>More results from www.sharewareconnection.com</u>]

[PDF] ime-to-Market hnology Flexibility Integrated Productivity ...
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... **Site-specific** customizations can be cleanly separated from the ... from the application
developer by providing ... to model the application's Graphical **User Interface**. ...
www.tcs.com/0_downloads/source/MasterCraft-overview.pdf - <u>Similar pages</u>

Resume: Thomas Ostberg, Sr. Software Analyst
... access layer of classes as the **interface** to the ... automated with Java Script functions
for **user** presentation and ... a part of the Microsoft **Developer** Network in ...
www.scguild.com/Resume/6305R.html - 26k - <u>Cached</u> - <u>Similar pages</u>

Resume: Michael Gaskill, Software Architect
... to subordinate programmers, conducting **developer** training, and ... project management
for **site-specific** applications, quality ... The **user interface** was developed in ...
www.scguild.com/Resume/7823R.html - 25k - <u>Cached</u> - <u>Similar pages</u>

[PPT] Gateway Login
File Format: Microsoft Powerpoint 97 - <u>View as HTML</u>
... But it leads to a proliferation of **user** interfaces from every **developer**. ... How can
I reuse aa great **interface** that someone else has ... Single purpose UI components. ...
www-fp.mcs.anl.gov/scidac-panel/ march21/presentations/pierce.ppt - <u>Similar pages</u>

[PDF] A Batch Script **Generator** Web Service for Computational Portals
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... services: other services are not **site-specific** and may ... an example of how a portal
developer might integrate ... a web server that controls the **user interface** (UI). ...
grids.ucs.indiana.edu/ptliupages/ publications/BatchScriptGen.pdf - <u>Similar pages</u>

CFI Goals, Objectives, and Requirements
... as constraint analysis, argument validation, and **us** r input control ... each with a standard

Google™
Scholar BETA

Scholar   Results **1** - **10** of about **26** for **user interface developer site-specific code generator**. (0.09 seconds)

[PS] PELLPACK: a problem-solving environment for PDE-based applications on multicomputer platforms
EN Houstis, JR Rice, S Weerawarana, AC Catlin, P ... - View as HTML - Cited by 47
... The **user** can select the time discretization scheme and ... In these cases the PELLPACK
interface consists of ... require symbolic processing or Fortran **code** generation ...
ACM Transactions on Mathematical Software (TOMS), 1998 - cs.purdue.edu - cs.purdue.edu - portal.acm.org -
portal.acm.org

[PDF] McRunjob: A High Energy Physics Workflow Planner for Grid Production Processing
DEGE Graham, I Bertram, D Evans - View as HTML - Cited by 6
... full expressions, namespaces, functional dependencies, **site specific** parameters
in a ... are available to the **developer**, but not ... to provide a **user interface** to the ...
CHEP, 2003 - arxiv.org - gridpp.ac.uk - uscms.org - adsabs.harvard.edu - all 7 versions »

[PDF] Selecting Components: a Process for Context-Driven Evaluation
V Maxville, CP Lam, J Armarego
... provides the **interface** for the **user** to enter the ... The application **developer** may have
usage profiles or other information to guide test generation towards ...
Proceedings of the Tenth Asia-Pacific Software Engineering ..., 2003 - ieeexplore.ieee.org - wwweng.murdoch.edu.au -
ieeexplore.ieee.org - portal.acm.org

[PDF] CropSyst, a cropping systems simulation model
CO Stoeckle, M Donatelli, R Nelson - View as HTML - Cited by 17
... Emphasis. has been placed on developing a **user**-friendly **interface**, providing links
to GIS software, a weather **generator**, and other utility programs. ...
Eur. J. Agron, 2003 - sipeaa.it

[PDF] CollageMachine: A Model of **Interface** Ecology
A Kerne - View as HTML - Cited by 6
... archive packaging and **code**-signing: platform incompatibilities....87. ... browsing, in
which the **user** starts only ... which have grown into "**interface** ecology" were ...
Ph. D. Thesis, Department of Computer Science, New York ..., 2001 - cs.nyu.edu - cs.nyu.edu - andruid.com -
mrl.nyu.edu

[PDF] Partial Dispatch: Optimizing Dynamically-Dispatched Multimethod Calls with Compile-Time Types and ...
J Bachrach, G Burke, I Crysaliz - View as HTML - Cited by 1
... our Dylan compiler and graphical **user interface** toolkit is ... defined in a backend **interface**
com- ponent ... pit- falls for Functional **Developer**, including multithread ...
Work in progress - ai.mit.edu - ai.mit.edu

[PDF] Vehicle-to-Roadside Communications for Commercial Vehicle Operations-Requirements and Approaches
H Scott, K Stouffer, P Rowe - View as HTML
... 26 3.6 **Site Specific** Requirements.....28. ... and future IVHS) **user**
services that ... reader RF **interface** and document ...
isd.mel.nist.gov - isd.mel.nist.gov

[PDF] GENII Version 2 Software Design Document
BA Napier, DL Strenge, JV Ramsdell Jr, PW Eslinger ... - View as HTML
... component are added by the **user interface** for the ... Under normal operating conditions,

P⊛RTAL

THE ACM DIGITAL LIBRARY

◀ Feedback Report a problem Satisfaction survey

Terms used
us r interface developer site specific code generator

Found **54,521** of **148,162**

Sort results by   relevance ▼   ❖ Save results to a Binder   Try an Advanced Search
Display results   expanded form ▼   ❓ Search Tips   Try this search in The ACM Guide
                                       ☐ Open results in a new window

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10   next
Best 200 shown   Relevance scale ☐ ◲ ◪ ◼ ◼

1 PELLPACK: a problem-solving environment for PDE-based applications on multicomputer platforms   ◼

E. N. Houstis, J. R. Rice, S. Weerawarana, A. C. Catlin, P. Papachiou, K.-Y. Wang, M. Gaitatzes
March 1998 **ACM Transactions on Mathematical Software (TOMS)**, Volume 24 Issue 1

Full text available: 📄 pdf(26.30 MB)   Additional Information: full citation, abstract, references, citings, index terms, review

The article presents the software architecture and implementation of the problem-solving environment (PSE) PELLPACK for modeling physical objects described by partial differential equations (PDEs). The scope of this PSE is broad, as PELLPACK incorporates many PDE solving systems, and some of these, in turn, include several specific PDE solving methods. Its coverage for 1D, 2D. and 3D elliptic or parabolic problems is quite broad, and it handles some hyperbolic problems, Since a PSE should p ...

Keywords: PDE language, execution models, knowledge bases, libraries, parallel reuse methodologies, problem-solving environments, programming-in-the-large, sofeware bus

2 The Pan language-based editing system   ◼

Robert A. Ballance, Susan L. Graham, Michael L. Van De Vanter
January 1992 **ACM Transactions on Software Engineering and Methodology (TOSEM)**, Volume 1 Issue 1

Full text available: 📄 pdf(2.43 MB)   Additional Information: full citation, abstract, references, citings, index terms, review

Powerful editing systems for developing complex software documents are difficult to engineer. Besides requiring efficient incremental algorithms and complex data structures, such editors must accommodate flexible editing styles, provide a consistent, coherent, and powerful user interface, support individual variations and projectwide configurations, maintain a sharable database of information concerning the documents being edited, and integrate smoothly with the other tools in the environme ...

Keywords: Ladle, Pan, coherent user interfaces, colander, contextual constraint, extension facilities, grammatical abstraction, interactive programming environment, logic programming, logical constraint grammar, reason maintenance, syntax-recognizing editor, tolerance for errors and anomalies

3 Data integrity: Web application security assessment by fault injection and behavior monitoring   ◼

Yao-Wen Huang, Shih-Kun Huang, Tsung-Po Lin, Chung-Hung Tsai

P🌀RTAL

US Patent & Trademark Office

Search: ⊙ The ACM Digital Library   ○ The Guide

user interface handler code generator

SEARCH

THE ACM DIGITAL LIBRARY

■€ Feedback Report a problem Satisfaction survey

Terms used **user** **interface** **handler** **code** **generator**

Found **63,860** of **148,162**

Sort results by | relevance ▾ | ♦ Save results to a Binder   Try an Advanced Search
Display results | expanded form ▾ | ? Search Tips   Try this search in The ACM Guide
                                               ☐ Open results in a new window

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10   next
Best 200 shown   Relevance scale ☐ ▭ ▬ ■ ■

1 Chiron-1: a software architecture for user interface development, maintenance, and run-time support   ■
Richard N. Taylor, Kari A. Nies, Gregory Alan Bolcer, Craig A. MacFarlane, Kenneth M. Anderson, Gregory F. Johnson
June 1995 **ACM Transactions on Computer-Human Interaction (TOCHI)**, Volume 2 Issue 2

Full text available: 📄 pdf(2.65 MB)   Additional Information: full citation, abstract, references, citings, index terms, review

The Chiron-1 user interface system demonstrates key techniques that enable a strict separation of an application from its user interface. These techniques include separating the control-flow aspects of the application and user interface: they are concurrent and may contain many threads. Chiron also separates windowing and look-and-feel issues from dialogue and abstract presentation decisions via mechanisms employing a client-server architecture. To separate application code from user interf ...

Keywords: artists, client-server, concurrency, event-based integration, user interface architectures

2 Human-computer interface development: concepts and systems for its management   ■
H. Rex Hartson, Deborah Hix
March 1989 **ACM Computing Surveys (CSUR)**, Volume 21 Issue 1

Full text available: 📄 pdf(7.97 MB)   Additional Information: full citation, abstract, references, citings, index terms, review

Human-computer interface management, from a computer science viewpoint, focuses on the process of developing quality human-computer interfaces, including their representation, design, implementation, execution, evaluation, and maintenance. This survey presents important concepts of interface management: dialogue independence, structural modeling, representation, interactive tools, rapid prototyping, development methodologies, and control structures. *Dialogue independence* is th ...

3 TAE Plus: Transportable Applications Environment Plus: a user interface development environment   ■
Martha R. Szczur, Sylvia B. Sheppard
January 1993 **ACM Transactions on Information Systems (TOIS)**, Volume 11 Issue 1

Full text available: 📄 pdf(1.99 MB)   Additional Information: full citation, abstract, references, citings, index terms

The Transportable Applications Environment Plus (TAE Plus) is a NASA-developed user interface development environment (UIDE) for the rapid prototyping, evaluation, implementation, and management of user interfaces. TAE Plus provides an intuitive What